Author Index

Abbott, F. S., see Doroudian, A. 619(1993)79
Akiyama, S., see Nakashima, K. 619(1993)1
Anderson, K. E., see Woodcock, E. A. 619(1993)121
Andersson, T., Lagerstrøm, P.-O., Miners, J. O., Veronese, M. E., Weidolf, L. and Birkett, D. J.
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291
Arrigoni Martelli, E., see Bruno, G. 619(1993)167
Ascalone, V., Guinebault, P. and Rouchouse, A.
Determination of mizolastine, a new antihistaminic drug, in human plasma by liquid–liquid extraction, solid-phase extraction and column-switching techniques in combination with high-performance liquid chromatography 619(1993)275
Avgerinos, A., Karidas, T. and Malamataris, S.
Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324
Axelson, J. E., see Doroudian, A. 619(1993)79
Bachert, E. L. and Fung, H.-L.
High-performance liquid chromatographic method for stability and pharmacokinetic studies of nicorandil 619(1993)336
Bailey, M. R., see Janeček, M. 619(1993)63
Benowitz, N. L., see Jacob III, P. 619(1993)49
Birkett, D. J., see Andersson, T. 619(1993)291
Bockbrader, H. N., see Windsor, B. L. 619(1993)315
Bonte, W., see Musshoff, F. 619(1993)235
Bos, R. P., see Scheepers, P. T. J. 619(1993)215
Brown, D. S., see Scislowski, P. W. D. 619(1993)299
Bruno, G., Curti, S., Longo, A., Marzo, A. and Arrigoni Martelli, E.
High-performance liquid chromatographic assay for N^2-[5-(hypoxanthin-9-yl)pentyloxycarbonyl]-L-arginine (ST 789) in plasma by cyclization with benzoin and fluorimetric detection 619(1993)167
Buchan, V., see Scislowski, P. W. D. 619(1993)299
Caillé, G., see Lemko, C. H. 619(1993)330
Camacho, A., see Rosell, G. 619(1993)87
Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Column-switching techniques for high-performance liquid chromatography of drugs in biological samples (Review) 619(1993)177
Chan, K. and Jones, R. D. M.
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154
Chang, T., see Windsor, B. L. 619(1993)315
Chaussard, J., see Houzé, P. 619(1993)251
Chen, X.-H., Franke, J.-P., Wijsbeek, J. and De Zeeuw, R. A.
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137
Cordel, K. L., see Rimerman, R. A. 619(1993)29
Craft, N. E., see Epler, K. S. 619(1993)37
Crofton, K. M., see Raymer, J. H. 619(1993)223
Curti, S., see Bruno, G. 619(1993)167
Daldrup, T., see Musshoff, F. 619(1993)235
DeWulf, D. W., see Ingalls, S. T. 619(1993)9
De Zeeuw, R. A., see Chen, X.-H. 619(1993)137
Diez, M. J., see Fernández, N. 619(1993)143
Donald, P. R., see Seifart, H. I. 619(1993)285
Doroudian, A., Yeleswaram, K., Rurak, D. W., Abbott, F. S. and Axelson, J. E.
Sensitive high-performance liquid chromatographic method for direct separation of labetalol stereoisomers in biological fluids using an α_1-acid glycoprotein stationary phase 619(1993)79
Doyle, E., see Moore, T. D. 619(1993)172
Duan, G., see Nakashima, K. 619(1993)1
Dumartin, C., see Gimenez, F. 619(1993)161
Epler, K. S., Ziegler, R. G. and Craft, N. E.
Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37
Esposito, E., see Gorbunov, N. 619(1993)133
Farinotti, R., see Gimenez, F. 619(1993)161
Feibush, B., see Zhou, F.-X. 619(1993)93
Fernández, N., García, J. J., Diez, M. J., Terán, M. T. and Sierra, M.
Rapid high-performance liquid chromatographic assay of ethynyloestradiol in rabbit plasma 619(1993)143
Foster, R. T., see Lemko, C. H. 619(1993)330
Franke, J.-P., see Chen, X.-H. 619(1993)137
Fung, H.-L., see Bachert, E. L. 619(1993)336
Gaillard, Y., Gay-Montchamp, J.-P. and Ollagnier, M.
Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310
García, J. J., see Fernández, N. 619(1993)143
Gaudreau, P., see Lefrançois, L. 619(1993)116
Gay-Montchamp, J.-P., see Gaillard, Y. 619(1993)310
Gibbons, W. A., see Hamedani, M. P. 619(1993)191
Gimenez, F., Dumartin, C., Wainer, I. W. and Farinotti, R.
Improved column-switching liquid chromatographic method for the determination of the enantiomers of mefloquine 619(1993)161
Gorbunov, N. and Esposito, E.
Rapid and simple method for the determination of nitrite in synaptosomal superfusates by liquid chromatography with electrochemical detection 619(1993)133
Guengerich, F. P., see Seto, Y. 619(1993)71
Guinebault, P., see Ascalone, V. 619(1993)275
Hamedani, M. P., Valkó, K., Qi, X., Welham, K. J. and Gibbons, W. A.
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191
Harris, I., see Scislowski, P. W. D. 619(1993)299
Harry, P., see Houzé, P. 619(1993)251
Herráez-Hernández, R., see Campíns-Falcó, P. 619(1993)177
Heskamp, H. H., see Van Rhijn, J. A. 619(1993)243
Hoppel, C. L., see Ingalls, S. T. 619(1993)9
Horikiri, Y., see Suzuki, T. 619(1993)267

Author Index

Abbott, F. S., see Doroudian, A. 619(1993)79
Akiyama, S., see Nakashima, K. 619(1993)1
Anderson, K. E., see Woodcock, E. A. 619(1993)121
Andersson, T., Lagerstrøm, P.-O., Miners, J. O., Veronese, M. E., Weidolf, L. and Birkett, D. J.
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291
Arrigoni Martelli, E., see Bruno, G. 619(1993)167
Ascalone, V., Guinebault, P. and Rouchouse, A.
Determination of mizolastine, a new antihistaminic drug, in human plasma by liquid–liquid extraction, solid-phase extraction and column-switching techniques in combination with high-performance liquid chromatography 619(1993)275
Avgerinos, A., Karidas, T. and Malamataris, S.
Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324
Axelson, J. E., see Doroudian, A. 619(1993)79
Bachert, E. L. and Fung, H.-L.
High-performance liquid chromatographic method for stability and pharmacokinetic studies of nicorandil 619(1993)336
Bailey, M. R., see Janeček, M. 619(1993)63
Benowitz, N. L., see Jacob III, P. 619(1993)49
Birkett, D. J., see Andersson, T. 619(1993)291
Bockbrader, H. N., see Windsor, B. L. 619(1993)315
Bonte, W., see Musshoff, F. 619(1993)235
Bos, R. P., see Scheepers, P. T. J. 619(1993)215
Brown, D. S., see Scislowski, P. W. D. 619(1993)299
Bruno, G., Curti, S., Longo, A., Marzo, A. and Arrigoni Martelli, E.
High-performance liquid chromatographic assay for N^2-[5-(hypoxanthin-9-yl)pentyloxycarbonyl]-L-arginine (ST 789) in plasma by cyclization with benzoin and fluorimetric detection 619(1993)167
Buchan, V., see Scislowski, P. W. D. 619(1993)299
Caillé, G., see Lemko, C. H. 619(1993)330
Camacho, A., see Rosell, G. 619(1993)87
Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Column-switching techniques for high-performance liquid chromatography of drugs in biological samples (Review) 619(1993)177
Chan, K. and Jones, R. D. M.
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154
Chang, T., see Windsor, B. L. 619(1993)315
Chaussard, J., see Houzé, P. 619(1993)251
Chen, X.-H., Franke, J.-P., Wijsbeek, J. and De Zeeuw, R. A.
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137
Cordel, K. L., see Rimerman, R. A. 619(1993)29
Craft, N. E., see Epler, K. S. 619(1993)37
Crofton, K. M., see Raymer, J. H. 619(1993)223
Curti, S., see Bruno, G. 619(1993)167
Daldrup, T., see Musshoff, F. 619(1993)235
DeWulf, D. W., see Ingalls, S. T. 619(1993)9
De Zeeuw, R. A., see Chen, X.-H. 619(1993)137
Diez, M. J., see Fernández, N. 619(1993)143
Donald, P. R., see Seifart, H. I. 619(1993)285
Doroudian, A., Yeleswaram, K., Rurak, D. W., Abbott, F. S. and Axelson, J. E.
Sensitive high-performance liquid chromatographic method for direct separation of labetalol stereoisomers in biological fluids using an α_1-acid glycoprotein stationary phase 619(1993)79
Doyle, E., see Moore, T. D. 619(1993)172
Duan, G., see Nakashima, K. 619(1993)1
Dumartin, C., see Gimenez, F. 619(1993)161
Epler, K. S., Ziegler, R. G. and Craft, N. E.
Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37
Esposito, E., see Gorbunov, N. 619(1993)133
Farinotti, R., see Gimenez, F. 619(1993)161
Feibush, B., see Zhou, F.-X. 619(1993)93
Fernández, N., García, J. J., Diez, M. J., Terán, M. T. and Sierra, M.
Rapid high-performance liquid chromatographic assay of ethynyloestradiol in rabbit plasma 619(1993)143
Foster, R. T., see Lemko, C. H. 619(1993)330
Franke, J.-P., see Chen, X.-H. 619(1993)137
Fung, H.-L., see Bachert, E. L. 619(1993)336
Gaillard, Y., Gay-Montchamp, J.-P. and Ollagnier, M.
Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310
García, J. J., see Fernández, N. 619(1993)143
Gaudreau, P., see Lefrançois, L. 619(1993)116
Gay-Montchamp, J.-P., see Gaillard, Y. 619(1993)310
Gibbons, W. A., see Hamedani, M. P. 619(1993)191
Gimenez, F., Dumartin, C., Wainer, I. W. and Farinotti, R.
Improved column-switching liquid chromatographic method for the determination of the enantiomers of mefloquine 619(1993)161
Gorbunov, N. and Esposito, E.
Rapid and simple method for the determination of nitrite in synaptosomal superfusates by liquid chromatography with electrochemical detection 619(1993)133
Guengerich, F. P., see Seto, Y. 619(1993)71
Guinebault, P., see Ascalone, V. 619(1993)275
Hamedani, M. P., Valkó, K., Qi, X., Welham, K. J. and Gibbons, W. A.
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191
Harris, I., see Scislowski, P. W. D. 619(1993)299
Harry, P., see Houzé, P. 619(1993)251
Herráez-Hernández, R., see Campíns-Falcó, P. 619(1993)177
Heskamp, H. H., see Van Rhijn, J. A. 619(1993)243
Hoppel, C. L., see Ingalls, S. T. 619(1993)9
Horikiri, Y., see Suzuki, T. 619(1993)267

Houzé, P., Chaussard, J., Harry, P. and Pays, M.
Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251
Ingalls, S. T., Kriaris, M. S., Xu, Y., DeWulf, D. W., Tserng, K.-Y. and Hoppel, C. L.
Method for isolation of non-esterified fatty acids and several other classes of plasma lipids by column chromatography on silica gel 619(1993)9
Iwaki, K., Okumura, N. and Yamazaki, M.
Rapid determination of tetracycline antibiotics in serum by reversed-phase high-performance liquid chromatography with fluorescence detection 619(1993)319
Jacob III, P., Yu, L., Liang, G., Shulgin, A. T. and Benowitz, N. L.
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49
James, C. A., see Kennedy, S. W. 619(1993)127
Janeček, M., Quilliam, M. A., Bailey, M. R. and North, D. H.
Determination of erythromycin A by liquid chromatography and electrochemical detection, with application to salmon tissue 619(1993)63
Jones, R. D. M., see Chan, K. 619(1993)154
Karidas, T., see Avgerinos, A. 619(1993)324
Kennedy, S. W. and James, C. A.
Improved method to extract and concentrate porphyrins from liver tissue for analysis by high-performance liquid chromatography 619(1993)127
Koda, R. T., see Li, W. Y. 619(1993)148
Koel, M., see Nebinger, P. 619(1993)342
Kriaris, M. S., see Ingalls, S. T. 619(1993)9
Kruger, P. B., see Seifart, H. I. 619(1993)285
Krull, I. S., see Zhou, F.-X. 619(1993)93
Kuroda, N., see Nakashima, K. 619(1993)1
Lagerstrøm, P.-O., see Andersson, T. 619(1993)291
Land, S. L., see Woodcock, E. A. 619(1993)121
Lee, B. L., Ong, H. Y., Shi, C. Y. and Ong, C. N.
Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259
Lefrançois, L. and Gaudreau, P.
Basal and stimulated cyclic adenosine 3′,5′-monophosphate production in rat adenopituitary homogenates: direct determination by high-performance liquid chromatography 619(1993)116
Lemko, C. H., Caillé, G. and Foster, R. T.
Stereospecific high-performance liquid chromatographic assay of ibuprofen: improved sensitivity and sample processing efficiency 619(1993)330
Li, W. Y., Seah, S. K. L. and Koda, R. T.
Determination of mitomycin C in human aqueous humor and serum by high-performance liquid chromatography 619(1993)148
Liang, G., see Jacob III, P. 619(1993)49
Lladó, I., Palou, A. and Pons, A.
Combined enzymic and chromatographic techniques to determine specific radioactivity in free and triglyceride fatty acid plasma fractions 619(1993)21
Longo, A., see Bruno, G. 619(1993)167
MacPhail, R. C., see Raymer, J. H. 619(1993)223
Malamataris, S., see Avgerinos, A. 619(1993)324
Marzo, A., see Bruno, G. 619(1993)167
Metcalf, A. C., see Moore, T. D. 619(1993)172
Miners, J. O., see Andersson, T. 619(1993)291
Mizobe, M., see Suzuki, T. 619(1993)267
Moore, T. D., Metcalf, A. C., Swagzdis, J. E. and Doyle, E.
High-performance liquid chromatographic determination of concentrations of the reversible H^+/K^+ ATPase inhibitor SK&F 97574 in plasma 619(1993)172
Musshoff, F., Daldrup, T. and Bonte, W.
Gas chromatographic–mass spectrometric screening procedure for the identification of formaldehyde-derived tetrahydroisoquinolines in human urine 619(1993)235
Nakashima, K., Taguchi, Y., Kuroda, N., Akiyama, S. and Duan, G.
2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole as a versatile fluorescent derivatization reagent for the high-performance liquid chromatographic analysis of free fatty acids 619(1993)1
Nebinger, P. and Koel, M.
Determination of acyclovir by ultrafiltration and high-performance liquid chromatography 619(1993)342
Noda, K., see Suzuki, T. 619(1993)267
North, D. H., see Janeček, M. 619(1993)63
Ogata, K., see Sugiyama, K. 619(1993)306
Okumura, N., see Iwaki, K. 619(1993)319
Ollagnier, M., see Gaillard, Y. 619(1993)310
Ong, C. N., see Lee, B. L. 619(1993)259
Ong, H. Y., see Lee, B. L. 619(1993)259
Ouwerkerk, J. C., see Scheepers, P. T. J. 619(1993)215
Padilla, S., see Raymer, J. H. 619(1993)223
Palou, A., see Lladó, I. 619(1993)21
Parkin, D. P., see Seifart, H. I. 619(1993)285
Parra, P., see Rosell, G. 619(1993)87
Pays, M., see Houzé, P. 619(1993)251
Pickard, K., see Scislowski, P. W. D. 619(1993)299
Pons, A., see Lladó, I. 619(1993)21
Prorok, G. D., see Rimerman, R. A. 619(1993)29
Qi, X., see Hamedani, M. P. 619(1993)191
Quilliam, M. A., see Janeček, M. 619(1993)63
Radulovic, L. L., see Windsor, B. L. 619(1993)315
Raymer, J. H., Sparacino, C. M., Velez, G. R., Padilla, S., MacPhail, R. C. and Crofton, K. M.
Determination of acrylamide in rat serum and sciatic nerve by gas chromatography–electron-capture detection 619(1993)223
Rimerman, R. A., Prorok, G. D., Cordel, K. L., Shahwan, A. M. and Vaughan, W. P.
Improved high-performance liquid chromatographic analysis of intracellular deoxyribonucleoside triphosphate levels 619(1993)29
Rosell, G., Camacho, A. and Parra, P.
Direct enantiomeric separation of *cis*-(±)diltiazem in plasma by high-performance liquid chromatography with ovomucoid column 619(1993)87
Rouchouse, A., see Ascalone, V. 619(1993)275
Ruban, V. F.
Determination of dopamine and its metabolites in microdialysates by capillary liquid chromatography with electrochemical detection 619(1993)111

Rurak, D. W., see Doroudian, A. 619(1993)79
Scheepers, P. T. J., Velders, D. D., Straetemans, M. M. E., Ouwerkerk, J. C., Van Vliet, L. A. and Bos, R. P. Solid-phase extraction and gas chromatographic–mass spectrometric determination after hydrolysis of 2-aminofluorene haemoglobin adducts in blood of rats 619(1993)215
Scislowski, P. W. D., Harris, I., Pickard, K., Brown, D. S. and Buchan, V. Determination of L-methionine-*dl*-sulphoxide in tissue extracts 619(1993)299
Seah, S. K. L., see Li, W. Y. 619(1993)148
Seifart, H. I., Kruger, P. B., Parkin, D. P., Van Jaarsveld, P. P. and Donald, P. R. Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285
Seto, Y. and Guengerich, F. P. Liquid chromatographic determination of *para*-substituted N,N-dialkylaniline N-oxides 619(1993)71
Sevillano-Cabeza, A., see Campíns-Falcó, P. 619(1993)177
Shahwan, A. M., see Rimerman, R. A. 619(1993)29
Shi, C. Y., see Lee, B. L. 619(1993)259
Shulgin, A. T., see Jacob III, P. 619(1993)49
Sierra, M., see Fernández, N. 619(1993)143
Sparacino, C. M., see Raymer, J. H. 619(1993)223
Steinebach, O. M. and Wolterbeek, H. T. Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199
Straetemans, M. M. E., see Scheepers, P. T. J. 619(1993)215
Sugiyama, K. and Ogata, K. High-performance liquid chromatographic determination of histatins in human saliva 619(1993)306
Suzuki, T., Horikiri, Y., Mizobe, M. and Noda, K. Sensitive determination of bisoprolol enantiomers in plasma and urine by high-performance liquid chromatography using fluorescence detection, and application to preliminary study in humans 619(1993)267
Swagzdis, J. E., see Moore, T. D. 619(1993)172
Taguchi, Y., see Nakashima, K. 619(1993)1
Terán, M. T., see Fernández, N. 619(1993)143
Traag, W. A., see Van Rhijn, J. A. 619(1993)243
Tserng, K.-Y., see Ingalls, S. T. 619(1993)9
Valkó, K., see Hamedani, M. P. 619(1993)191
Van Jaarsveld, P. P., see Seifart, H. I. 619(1993)285
Van Rhijn, J. A., Traag, W. A. and Heskamp, H. H. Confirmatory analysis of clenbuterol using two different derivatives simultaneously 619(1993)243
Van Vliet, L. A., see Scheepers, P. T. J. 619(1993)215
Vaughan, W. P., see Rimerman, R. A. 619(1993)29
Velders, D. D., see Scheepers, P. T. J. 619(1993)215
Velez, G. R., see Raymer, J. H. 619(1993)223
Veronese, M. E., see Andersson, T. 619(1993)291
Wainer, I. W., see Gimenez, F. 619(1993)161
Wang, E., see Zhou, J. 619(1993)103
Weidolf, L., see Andersson, T. 619(1993)291
Welham, K. J., see Hamedani, M. P. 619(1993)191
Wijsbeek, J., see Chen, X.-H. 619(1993)137
Windsor, B. L., Radulovic, L. L., Bockbrader, H. N. and Chang, T. Measurement of CI-979 (a candidate drug for the treatment of age-related disorders of cognition) in human plasma by capillary gas chromatography with nitrogen-selective detection 619(1993)315
Wolterbeek, H. T., see Steinebach, O. M. 619(1993)199
Woodcock, E. A., Anderson, K. E. and Land, S. L. Lyophilization can generate artifacts in chromatographic profiles of inositol phosphates 619(1993)121
Xu, Y., see Ingalls, S. T. 619(1993)9
Yamazaki, M., see Iwaki, K. 619(1993)319
Yeleswaram, K., see Doroudian, A. 619(1993)79
Yu, L., see Jacob III, P. 619(1993)49
Zhang, L., see Zhou, J. 619(1993)103
Zhou, F.-X., Krull, I. S. and Feibush, B. Direct determination of adamantanamine in plasma and urine with automated solid phase derivatization 619(1993)93
Zhou, J., Zhang, L. and Wang, E. Electrochemical detection of cobalt in hair following on-column derivatization with 1-(2-pyridylazo)-2-naphthol-6-sulphonic acid and reversed-phase liquid chromatography 619(1993)103
Ziegler, R. G., see Epler, K. S. 619(1993)37

Erratum

J. Chromatogr., 615 (1993) 148–153.
Tables I en II. "Cotinine concentration (ng/ml)" should read "Cotinine amount (ng)".
Table III. Values in the column headed OraSure refer to ng cotinine, not ng/ml cotinine. To convert to ng/ml multiply by two. Urine and serum values are in ng/ml.

Compound Index

Acrylamide
Determination of acrylamide in rat serum and sciatic nerve by gas chromatography–electron-capture detection 619(1993)223

Acyclovir
Determination of acyclovir by ultrafiltration and high-performance liquid chromatography 619(1993)342

Adamantanamine
Direct determination of adamantanamine in plasma and urine with automated solid phase derivatization 619(1993)93

Adenine
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Adenosine
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Adenosine 3′,5′-monophosphate, cyclic
Basal and stimulated cyclic adenosine 3′,5′-monophosphate production in rat adenopituitary homogenates: direct determination by high-performance liquid chromatography 619(1993)116

S-Adenosyl-L-methionine
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

S-Adenylhomocysteine
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Alkaloids
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Amino acids
Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Anabasine
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Anatabine
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Antibiotics
Determination of erythromycin A by liquid chromatography and electrochemical detection, with application to salmon tissue 619(1993)63

Rapid determination of tetracycline antibiotics in serum by reversed-phase high-performance liquid chromatography with fluorescence detection 619(1993)319

H+/K+ ATPase inhibitor
High-performance liquid chromatographic determination of concentrations of the reversible H^+/K^+ ATPase inhibitor SK&F 97574 in plasma 619(1993)172

2,3′-Bipyridyl
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Bisoprolol
Sensitive determination of bisoprolol enantiomers in plasma and urine by high-performance liquid chromatography using fluorescence detection, and application to preliminary study in humans 619(1993)267

2-Bromopropenamide
Determination of acrylamide in rat serum and sciatic nerve by gas chromatography–electron-capture detection 619(1993)223

1,3-Butylene glycol
Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

2,3-Butylene glycol
Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

3-Butyryl-4-(2-methylphenylamino)-8-(2-hydroxyethoxy) quinoline
High-performance liquid chromatographic determination of concentrations of the reversible H^+/K^+ ATPase inhibitor SK&F 97574 in plasma 619(1993)172

Cadmium
Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Carotenoids
Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37

Catechol
Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259

CI-979
Measurement of CI-979 (a candidate drug for the treatment of age-related disorders of cognition) in human plasma by capillary gas chromatography with nitrogen-selective detection 619(1993)315

Clenbuterol
Confirmatory analysis of clenbuterol using two different derivatives simultaneously 619(1993)243

Clonazepam
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Cobalt
Electrochemical detection of cobalt in hair following on-column derivatization with 1-(2-pyridylazo)-2-naphthol-6-sulphonic acid and reversed-phase liquid chromatography 619(1993)103

Copper
Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Cyclic adenosine 3′,5′-monophosphate
Basal and stimulated cyclic adenosine 3′,5′-monophosphate production in rat adenopituitary homogenates: direct determination by high-performance liquid chromatography 619(1993)116

Cytochrome P450
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

Deoxyribonucleoside triphosphate
Improved high-performance liquid chromatographic analysis of intracellular deoxyribonucleoside triphosphate levels 619(1993)29

N,N-Dialkylaniline-N-oxides
Liquid chromatographic determination of *para*-substituted N,N-dialkylaniline N-oxides 619(1993)71

Diclofenac
Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324

Dihydrometanicotine
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Diltiazem
Direct enantiomeric separation of *cis*-(±)diltiazem in plasma by high-performance liquid chromatography with ovomucoid column 619(1993)87

Dopamine
Determination of dopamine and its metabolites in microdialysates by capillary liquid chromatography with electrochemical detection 619(1993)111

Drugs
Column-switching techniques for high-performance liquid chromatography of drugs in biological samples (Review) 619(1993)177

Erythromycin A
Determination of erythromycin A by liquid chromatography and electrochemical detection, with application to salmon tissue 619(1993)63

Ethionamide
Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

Ethylene glycol
Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

Ethynylestradiol
Rapid high-performance liquid chromatographic assay of ethynyloestradiol in rabbit plasma 619(1993)143

Fatty acids
2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole as a versatile fluorescent derivatization reagent for the high-performance liquid chromatographic analysis of free fatty acids 619(1993)1

Method for isolation of non-esterified fatty acids and several other classes of plasma lipids by column chromatography on silica gel 619(1993)9

Combined enzymic and chromatographic techniques to determine specific radioactivity in free and triglyceride fatty acid plasma fractions 619(1993)21

Flumazenil
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

9-Fluoreneacetate
Direct determination of adamantanamine in plasma and urine with automated solid phase derivatization 619(1993)93

Flurazepam
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

Guanosine
Determination of acyclovir by ultrafiltration and high-performance liquid chromatography 619(1993)342

Haemoglobin
Solid-phase extraction and gas chromatographic–mass spectrometric determination after hydrolysis of 2-aminofluorene haemoglobin adducts in blood of rats 619(1993)215

Hexobarbital
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Histatins
High-performance liquid chromatographic determination of histatins in human saliva 619(1993)306

2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole
2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole as a versatile fluorescent derivatization reagent for the high-performance liquid chromatographic analysis of free fatty acids 619(1993)1

Hydroquinone
Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259

1-Hydroxymethylmidazolam
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

4-Hydroxymidazolam
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

Hydroxyomeprazole
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

N^2-[5-(Hypoxanthin-9-yl)pentyloxycarbonyl]-L-arginine)
High-performance liquid chromatographic assay for N^2-[5-(hypoxanthin-9-yl)pentyloxycarbonyl]-L-arginine (ST 789) in plasma by cyclization with benzoin and fluorimetric detection 619(1993)167

Ibuprofen
Stereospecific high-performance liquid chromatographic assay of ibuprofen: improved sensitivity and sample processing efficiency 619(1993)330

Indomethacin
Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324

Inositol phosphates
Lyophilization can generate artifacts in chromatographic profiles of inositol phosphates 619(1993)121

Isoniazid
Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

Labetalol
Sensitive high-performance liquid chromatographic method for direct separation of labetalol stereoisomers in biological fluids using an α_1-acid glycoprotein stationary phase 619(1993)79

Lipids
Method for isolation of non-esterified fatty acids and several other classes of plasma lipids by column chromatography on silica gel 619(1993)9

Mefloquine
Improved column-switching liquid chromatographic method for the determination of the enantiomers of mefloquine 619(1993)161

Mepivacaine
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Metallothioneins
Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Metanicotine
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

L-Methionine-*dl*-sulphoxide
Determination of L-methionine-*dl*-sulphoxide in tissue extracts 619(1993)299

Methylthioadenosine
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Midazolam
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

Mitomycin C
Determination of mitomycin C in human aqueous humor and serum by high-performance liquid chromatography 619(1993)148

Mizolastine
Determination of mizolastine, a new antihistaminic drug, in human plasma by liquid–liquid extraction, solid-phase extraction and column-switching techniques in combination with high-performance liquid chromatography 619(1993)275

Nicorandil
High-performance liquid chromatographic method for stability and pharmacokinetic studies of nicorandil 619(1993)336

Nitrite
Rapid and simple method for the determination of nitrite in synaptosomal superfusates by liquid chromatography with electrochemical detection 619(1993)133

2-Nitrofluorene
Solid-phase extraction and gas chromatographic–mass spectrometric determination after hydrolysis of 2-aminofluorene haemoglobin adducts in blood of rats 619(1993)215

Nornicotine
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Nucleotides
Improved high-performance liquid chromatographic analysis of intracellular deoxyribonucleoside triphosphate levels 619(1993)29

Omeprazole
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

Omeprazole sulphone
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

Pentobarbital
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Phenol
Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259

Porphyrins
Improved method to extract and concentrate porphyrins from liver tissue for analysis by high-performance liquid chromatography 619(1993)127

Prazepam
Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310

Propylene glycol
Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

Pyrazinamide
Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

1-(2-Pyridylazo)-2-naphthol-6-sulphonic acid
Electrochemical detection of cobalt in hair following on-column derivatization with 1-(2-pyridylazo)-2-naphthol-6-sulphonic acid and reversed-phase liquid chromatography 619(1993)103

Retinoids
Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37

Rifampicin
Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

SK&F 97574
High-performance liquid chromatographic determination of concentrations of the reversible H^+/K^+ ATPase inhibitor SK&F 97574 in plasma 619(1993)172

Steroids
Rapid high-performance liquid chromatographic assay of ethynyloestradiol in rabbit plasma 619(1993)143

Confirmatory analysis of clenbuterol using two different derivatives simultaneously 619(1993)243

Tetracyclines
Rapid determination of tetracycline antibiotics in serum by reversed-phase high-performance liquid chromatography with fluorescence detection 619(1993)319

Tetrahydroisoquinolines
Gas chromatographic–mass spectrometric screening procedure for the identification of formaldehyde-derived tetrahydroisoquinolines in human urine 619(1993)235

(*E*)-1,2,5,6-Tetrahydro-1-methyl-3-pyridinecarboxaldehyde O-methyloxime
Measurement of CI-979 (a candidate drug for the treatment of age-related disorders of cognition) in human plasma by capillary gas chromatography with nitrogen-selective detection 619(1993)315

Tobacco alkaloids
Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Tocopherols
Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37

Triglycerides
Combined enzymic and chromatographic techniques to determine specific radioactivity in free and triglyceride fatty acid plasma fractions 619(1993)21

Trimipramine
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Zinc
Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Zoplicone
Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310